

1mL Serological Pipets

Description: 1mL in 1/100mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	ø4.5	±0.1
B	ø2.45	±0.35
C	ø268.5	±2.0




Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirements of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -0.3 ml (total volume = 1.3 ml)
- Graduation (mL): in 1/100mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: yellow
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system

1mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5504	75816-102	1mL in 1/100mL, Individually Wrapped, Paper/Plastic	Yes	1	500	500
612-5505	75816-112	1mL in 1/100mL, Plastic pack in PE bag with zip lock	Yes		25	1000
612-5506	75816-116	1mL in 1/100mL, Plastic pack in bulk PE bag	No		2000	2000
	76184-872	1mL in 1/100mL, Individually Wrapped, Plastic/Plastic	Yes	1	500	500



2mL Serological Pipets

Description: 2mL in 1/100mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	ø6.3	±0.1
B	ø2.93	±0.35
C	272.0	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -0.3 ml (total volume = 2.3 ml)
- Graduation (mL): in 1/100mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: green
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



2mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5507	75816-104	2mL in 1/100mL, Individually Wrapped, Paper/Plastic	Yes	1	500	500
612-5521	75816-114	2mL in 1/100mL, Plastic pack in PE bag with zip lock	Yes		25	1000
612-5522	75816-110	2mL in 1/100mL, Plastic pack in bulk PE bag	No		1000	1000
	76184-742	2mL in 1/100mL, Individually Wrapped, Plastic/Plastic	Yes	1	500	500



5mL Mini Serological Pipets

Description: 5mL in 1/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	ø 9.7	±0.1
B	ø 7.95	±0.25
C	ø 3.5	±0.25
D	234.95	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -3 ml (total volume = 8.0 ml)
- Graduation (mL): in 1/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: blue
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



5mL Mini Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5523	75816-094	5mL in 1/10mL, Individually Wrapped, Paper/Plastic	Yes	1	400	400
612-5539	75816-106	5mL in 1/10mL, Plastic pack in PE bag with zip lock	Yes		25	500
612-5540	75816-108	5mL in 1/10mL, Plastic pack in bulk PE bag	No		500	500
	76184-744	5mL in 1/10mL, Individually Wrapped, Plastic/Plastic	Yes	1	400	400



10mL Mini Serological Pipets

Description: 10mL in 2/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	ø15.1	±0.1
B	ø7.95	±0.25
C	ø5.0	±0.25
D	234.95	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -10 ml (total volume = 20.0 ml)
- Graduation (mL): in 2/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: orange
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



10mL Mini Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5827	76204-736	10mL in 2/10mL, Individually Wrapped, Paper/Plastic	Yes	1	150	150



25mL Mini Serological Pipets

Description: 25mL in 5/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø18.4	±0.1
B	Ø8.0	±0.25
C	Ø5.8	±0.25
D	234.95	±2.0


Features

- Temperature: -20°C~+50°C
- Sterilisation: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -10 ml (total volume = 35.0 ml)
- Graduation (mL): in 5/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: red
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



25mL Mini Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5828	76204-738	25mL in 5/10mL, Individually Wrapped, Paper/Plastic	Yes	1	100	100



5mL Serological Pipets

Description: 5mL in 1/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø8.2	±0.1
B	Ø2.5	±0.35
C	341.0	±2.0



Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -3 ml (total volume = 8.0 ml)
- Graduation (mL): in 1/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: blue
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system

5mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5826	76201-710	5mL in 1/10mL, Individually Wrapped, Paper/Plastic	Yes	1	400	400



10mL Serological Pipets

Description: 10mL in 1/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø10.96	±0.20
B	Ø7.95	±0.25
C	Ø2.95	±0.25
D	303.4	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -3 ml (total volume = 13 ml)
- Graduation (mL): in 1/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: orange
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



10mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5541	75816-100	10mL in 1/10mL, Individually Wrapped, Paper/Plastic	Yes	1	400	400
612-5542	75816-098	10mL in 1/10mL, Plastic pack in PE bag with zip lock	Yes		25	400
612-5543	75816-096	10mL in 1/10mL, Plastic pack in bulk PE bag	No		400	400
	76184-746	10mL in 1/10mL, Individually Wrapped, Plastic/Plastic	Yes	1	400	400



10mL Wide Tip Serological Pipets

Description: 10mL in 1/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø10.0	±0.10
B	Ø7.95	±0.25
C	Ø5.16	±0.25
D	346.3	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Autoclavability: No
- Negative graduations up to -3 ml (total volume = 13 ml)
- Graduation (mL): in 1/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: orange
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system

②

10mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
	76184-754	10mL in 1/10mL, Wide tip, Plastic pack in bulk PE bag	Yes		50	400



25mL Serological Pipets

Description: 25mL in 2/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø15.1	±0.1
B	Ø7.95	±0.25
C	Ø5.0	±0.25
D	308.5	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -8 ml (total volume = 33 ml)
- Graduation (mL): in 2/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: red
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



25mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5544	75816-090	25mL in 2/10mL, Individually Wrapped, Paper/Plastic	Yes	1	150	150
612-5545	75816-092	25mL in 2/10mL, Plastic pack in PE bag with zip lock	Yes		10	150
	76184-748	25mL in 2/10mL, Individually Wrapped, Plastic/Plastic	Yes	1	150	150



50mL Serological Pipets

Description: 50mL in 5/10mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	Ø18.4	±0.1
B	Ø8.0	±0.25
C	Ø5.8	±0.25
D	346.6	±2.0

Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- Negative graduations up to -10 ml (total volume = 60 ml)
- Graduation (mL): in 5/10mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: purple
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system



50mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5546	75816-088	50mL in 5/10mL, Individually Wrapped, Paper/Plastic	Yes	1	100	100
	76184-750	50mL in 5/10mL, Individually Wrapped, Plastic/Plastic	Yes	1	100	100
	76184-756	50mL in 5/10mL, Plastic pack in PE bag with zip lock	Yes	1	10	100



100mL Serological Pipets

Description: 100mL in 1mL


Purpose: Use for liquid transfer

Materials

Pipet: GPPS (General polystyrene), Compliance with USP Class VI

Filter: PO (Polyolefin)

Color: Clear



Unit: mm

	Dimensions	Tolerance
A	ø 24.3	±0.1
B	ø 7.95	±0.25
C	ø 5.90	±0.25
D	346.8	±2.0



Features

- Temperature: -20°C~+50°C
- Sterilization: sterilized by gamma irradiation SAL10⁻⁶(ISO11137)
- Latex Statement: this product is latex free
- DNase/RNase free, non-pyrogenic, non-cytotoxic
- Meet the requirement of BSE/TSE
- Use dispenser box for easy opening
- Available in Individually packed in peel-to-open wrap
- Autoclavability: No
- total volume = 100 ml
- Graduation (mL): in 1mL
- Graduations are calibrated for accurate dispensing to within ±2%
- Color coded: pink
- Every product is printed with a batch number for traceability
- Shelf Life: 3 years after month of production
- Manufactured in a class 100,000 room environment
- Manufactured under EN ISO13485:2003 and ISO9001:2008 quality management system

100mL Serological Pipets

VWR EU Cat. No.	VWR NA Cat. No.	Description	Sterile	Qty/Tray	Qty/Pk	Qty/Case
612-5547	75816-084	100mL in 1mL, Individually Wrapped, Paper/Plastic	Yes	1	50	50
612-5548	75816-086	100mL in 1mL, Plastic pack in PE bag with zip lock	Yes		10	60
	76184-752	100mL in 1mL, Individually Wrapped, Plastic/Plastic	Yes	1	50	50